







Note:Photo may not represent exact vehicle or selected equipment.



### **Selected Model and Options**

0		

CODE

MODEL

F5H

2017 Ford Super Duty F-550 DRW XL 4WD Reg Cab 145" WB 60" CA

### COLORS

CODE

DESCRIPTION

G1

Shadow Black



CODE	DESCRIPTION	
18B	Platform Running Boards	
473	Snow Plow Prep Package -inc: pre- selected springs (see Order Guide Supplemental Reference for springs/FGAWR of specific vehicle configurations), NOTE 1: Restrictions apply; see Supplemental Reference or Body Builders Layout Book for details, NOTE 2: Also allows for the attachment of a winch	
512	Spare Tire, Wheel & Jack -inc: Excludes carrier, 6-Ton Hydraulic Jack REQUIRED in Rhode Island.	
531	Trailer Tow Package -inc: aftermarket trailer brake wiring kit, Trailer Brake Controller not included, NOTE: Salespersons Source Book or Ford RV Trailer Towing Guide should be consulted for specific trailer towing or camper limits and corresponding required equipment, axle ratios and model availability	
61J	6-Ton Hydraulic Jack (Regional) w/51D, Standard in Rhode Island.	
62R	Transmission Power Take-Off Provision -inc: transmission mounted live drive and stationary mode PTO	
90L	Power Equipment Group -inc: Deletes passenger side lock cylinder, upgraded door-trim panel, Accessory Delay, MyKey, owner controls feature, Remote Keyless Entry, Trailer Tow Mirrors w/Power Heated Glass, manual telescoping, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Anti-Theft Alarm, Power Front Side Windows, 1-touch up/down driver/passenger window, SecuriLock Passive Anti-Theft System (PATS), Power Locks	
NSMISSION		
CODE	DESCRIPTION	
44P	Transmission: TorqShift 6-Speed Automatic (6R140) -inc: SelectShift	



#### **OPTION PACKAGE**

CODE

DESCRIPTION

660A

Order Code 660A

#### **ENGINE**

CODE

#### DESCRIPTION

99Y

Engine: 6.8L 3-Valve SOHC EFI NA V10 -inc: CNG/Propane gaseous engine prep, hardened engine intake and valve seats, This package does not include CNG/Propane fuel tanks, lines, etc, Vehicle will be equipped w/the standard factory gasoline fuel system, Additional equipment combined w/Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/Propane fueled vehicle, See Alternative Fuel Buyers Guide: www.ford.com/altfuelbuyersguide (STD)

#### **SEAT TYPE**

CODE

#### DESCRIPTION

AS

Medium Earth Gray, HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar

#### **PRIMARY PAINT**

CODE

DESCRIPTION

G1

Shadow Black

#### **TIRES**

CODE

#### DESCRIPTION

THB

Tires: 225/70Rx19.5G BSW Traction - inc: 4 traction tires on the rear and 2 all-season tires on the front, Optional spare is 225/70Rx19.5G BSW all-season

### **CUSTOM EQUIPMENT**

CODE

DESCRIPTION

W7515G

Green Gem



#### **AXLE RATIO**

CODE

DESCRIPTION

X48

4.88 Axle Ratio (STD)

**Options Total** 

### Standard Equipment

#### Mechanical

Engine: 6.8L 3-Valve SOHC EFI NA V10 -inc: CNG/Propane gaseous engine prep, hardened engine intake and valve seats, This package does not include CNG/Propane fuel tanks, lines, etc, Vehicle will be equipped w/the standard factory gasoline fuel system, Additional equipment combined w/Certified calibration reflash is required, from an external upfitter, to convert the vehicle to a CNG/Propane fueled vehicle, See Alternative Fuel Buyers Guide: www.ford.com/altfuelbuyersguide (STD)

Transmission: TorqShift 6-Speed Automatic (6R140) -inc: SelectShift (STD)

4.88 Axle Ratio (STD)

50-State Emissions System

Transmission w/Oil Cooler

Manual Transfer Case

Part-Time Four-Wheel Drive

78-Amp/Hr 750CCA Maintenance-Free Battery w/Run Down Protection

HD 240 Amp Alternator

Towing w/Harness and Trailer Sway Control

11110# Maximum Payload

GVWR: 18,000 lbs Payload Package

HD Shock Absorbers

Front And Rear Anti-Roll Bars

Firm Suspension

Hydraulic Power-Assist Steering

40 Gal. Fuel Tank

Single Stainless Steel Exhaust

**Dual Rear Wheels** 

Manual Locking Hubs

Front Suspension w/Coil Springs

Leaf Rear Suspension w/Leaf Springs

4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs and Brake Assist

**Upfitter Switches** 



Exterior	
	Wheels: 19.5" Argent Painted Steel -inc: manual locking hubs
	Tires: 225/70Rx19.5G BSW AS (STD)
	Clearcoat Paint
	Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
	Black Fender Flares
	Black Side Windows Trim and Black Front Windshield Trim
	Black Door Handles
	Black Manual Side Mirrors w/Manual Folding
	Manual Extendable Trailer Style Mirrors
	Fixed Rear Window
	Light Tinted Glass
	Variable Intermittent Wipers
	Aluminum Panels
	Front Splash Guards
	Black Grille
	Front License Plate Bracket
	Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
	Cab Clearance Lights
Entertainment	
	Radio: AM/FM Stereo -inc: 4 speakers
	Fixed Antenna
	1 LCD Monitor In The Front
nterior	
	4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
	4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
	Manual Tilt/Telescoping Steering Column
	Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
	Manual Air Conditioning
	Illuminated Locking Glove Box
	Interior Trim -inc: Chrome Interior Accents
	Full Cloth Headliner
	Urethane Gear Shift Knob



Interior	
	HD Vinyl 40/20/40 Split Bench Seat -inc: center armrest, cupholder, storage and driver's side manual lumbar
	Day-Night Rearview Mirror
	Passenger Visor Vanity Mirror
	2 12V DC Power Outlets
	Front Map Lights
	Fade-To-Off Interior Lighting
	Full Vinyl/Rubber Floor Covering
	Underhood Lights
	Instrument Panel Bin and Covered Dashboard Storage
	Manual 1st Row Windows
	Systems Monitor
	Trip Computer
	Outside Temp Gauge
	Analog Display
	Manual Adjustable Front Head Restraints
	Air Filtration
Safety-Mechanical	
	Driveline Traction Control
Safety-Exterior	
	Side Impact Beams
Safety-Interior	
	Dual Stage Driver And Passenger Seat-Mounted Side Airbags
	Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch
	Safety Canopy System Curtain 1st Row Airbags
	Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters
WARRANTY	
	Basic Years: 3 Basic Miles/km: 36,000 Drivetrain Years: 5 Drivetrain Miles/km: 60,000

Corrosion Years: 5 Corrosion Miles/km: Unlimited

Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000



## **Weight Ratings**

GHT RATINGS	
Front Gross Axle Weight Rating:	4800 lbs
Rear Gross Axle Weight Rating:	13660 lbs
Gross Vehicle Weight Rating:	18000.00 lbs

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 3509, Data updated Aug 17, 2017 8:50:00 PM PDT

Aug 22, 2017



# **Technical Specifications**

Veight Information	n	
	Trim Curb Weight	6884.00 lbs
	Standard Weight - Front	0.00 lbs
	Standard Weight - Rear	0.00 lbs
	Base Trim Weight - Front	3895.00 lbs
	Base Trim Weight - Rear	2989.00 lbs
	Gross Axle Wt Rating - Front	4800 lbs
	Gross Axle Wt Rating - Rear	13660 lbs
	Curb Weight - Front	3895 lbs
*	Curb Weight - Rear	2989 lbs
	Option Weight - Front	50.00 lbs
	Option Weight - Rear	105.00 lbs
	Reserve Axle Capacity - Front	855.00 lbs
	Reserve Axle Capacity - Rear	10566.00 lbs
	As Spec'd Curb Weight	7039.00 lbs
	As Spec'd Payload	10961.00 lbs
	Maximum Payload Capacity	11116.00 lbs
	Gross Combined Wt Rating	28000 lbs
v.	Gross Axle Weight Rating	18460.00 lbs
	Curb Weight	6884.00 lbs
	Reserve Axle Capacity	11421.00 lbs
	Total Option Weight	155.00 lbs
	Payload Weight Front	0 lbs
	Payload Weight Rear	0 lbs
	Gross Vehicle Weight Rating	18000.00 lbs
railering		
	Dead Weight Hitch - Max Trailer Wt.	18500 lbs
	Dead Weight Hitch - Max Tongue Wt.	1850 lbs
	Wt Distributing Hitch - Max Trailer Wt.	18500 lbs



Trailering		
Trailering	Maximum Trailering Capacity	18500 lbs
Frame		
	Frame Type	N/A
	Sect Modulus Rails Only	N/A
	Frame RBM	N/A
	Frame Strength	N/A
	Frame Thickness	N/A
Suspension		
	Suspension Type - Front	Other
	Suspension Type - Rear	Leaf
	Spring Capacity - Front	4800 lbs
	Spring Capacity - Rear	13660 lbs
	Axle Type - Front	Non-Independent
	Axle Type - Rear	Rigid Axle
	Axle Capacity - Front	7000 lbs
	Axle Capacity - Rear	13660 lbs
	Axle Ratio (:1) - Front	4.88
	Axle Ratio (:1) - Rear	4.88
	Shock Absorber Diameter - Front	N/A
	Shock Absorber Diameter - Rear	N/A
	Stabilizer Bar Diameter - Front	N/A
	Stabilizer Bar Diameter - Rear	N/A
Tires		
	Front Tire Order Code	THB
	Rear Tire Order Code	THB
	Spare Tire Order Code	512
	Front Tire Size	LT225/70SR19.5
	Rear Tire Size	LT225/70SR19.5
	Spare Tire Size	Full-Size



hassis		
Tires		
	Front Tire Capacity	7500 lbs
	Rear Tire Capacity	15000 lbs
	Spare Tire Capacity	N/A
	Revolutions/Mile @ 45 mph - Front	647
	Revolutions/Mile @ 45 mph - Rear	645
	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels		
wneers	Front Wheel Size	19.5 X 6 in
	Rear Wheel Size	19.5 X 6 in
	Spare Wheel Size	Full-Size in
	Front Wheel Material	Steel
	Rear Wheel Material	Steel
	Spare Wheel Material	Steel
Steering		
	Steering Type	Re-Circulating Ball
	Steering Ratio (:1), Overall	N/A
	Steering Ratio (:1), On Center	N/A
	Steering Ratio (:1), At Lock	N/A
	Turning Diameter - Curb to Curb	42.5 ft
	Turning Diameter - Wall to Wall	N/A
Brakes		
	Brake Type	N/A
E.	Brake ABS System	4-Wheel
	Brake ABS System (Second Line)	4-Wheel
	Disc - Front (Yes or )	Yes
	Disc - Rear (Yes or )	Yes
	Front Brake Rotor Diam x Thickness	15.4 in
	Rear Brake Rotor Diam x Thickness	15.7 in
	Drum - Rear (Yes or )	N/A



Chassis		
Brakes		
	Rear Drum Diam x Width	N/A
Fuel Tank		
	Fuel Tank Capacity, Approx	40 gal
	Aux Fuel Tank Capacity, Approx	N/A
	Fuel Tank Location	Midship
	Aux Fuel Tank Location	Midship
Vehicle		
Emissions		
	Tons/yr of CO2 Emissions @ 15K mi/year	N/A
	EPA Greenhouse Gas Score	N/A
Powertrain		
Transmission		
	Drivetrain	Four Wheel Drive
	Trans Order Code	44P
	Trans Type	6
	Trans Description Cont.	Automatic w/OD
	Trans Description Cont. Again	N/A
	First Gear Ratio (:1)	3.97
	Second Gear Ratio (:1)	2.32
	Third Gear Ratio (:1)	1.52
	Fourth Gear Ratio (:1)	1.15
	Fifth Gear Ratio (:1)	0.86
	Sixth Gear Ratio (:1)	0.67
	Reverse Ratio (:1)	3.13
	Clutch Size	N/A
	Trans Power Take Off	Yes
	Final Drive Axle Ratio (:1)	N/A

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 3509, Data updated Aug 17, 2017 8:50:00 PM PDT

Aug 22, 2017



Transmission		NVA
	Transfer Case Gear Ratio (:1), Low	N/A
	Transfer Case Power Take Off	Yes
Mileage		
	EPA Fuel Economy Est - Hwy	N/A
	Cruising Range - City	N/A
	EPA Fuel Economy Est - City	N/A
	Fuel Economy Est-Combined	N/A
	Cruising Range - Hwy	N/A
Engine		
	Engine Order Code	99Y
	Engine Type	Regular Unleaded V-10
	Displacement	6.8 L/415
	Fuel System	Sequential MPI
	SAE Net Horsepower @ RPM	288 @ 4000
	SAE Net Torque @ RPM	424 @ 3000
	Engine Oil Cooler	None
Electrical		
	Cold Cranking Amps @ 0° F (Primary)	750
	Cold Cranking Amps @ 0° F (2nd)	750
	Cold Cranking Amps @ 0° F (3rd)	N/A
	Maximum Alternator Capacity (amps)	240
Cooling System		
	Total Cooling System Capacity	N/A
Dimensions		
Interior Dimensions		
	Passenger Capacity	3
	Front Head Room	40.8 in
	Front Leg Room	43.9 in



limensions		
Interior Dimensions		
	Front Shoulder Room	66.7 in
	Front Hip Room	62.5 in
	Second Head Room	N/A
	Second Leg Room	N/A
	Second Shoulder Room	N/A
	Second Hip Room	N/A
Exterior Dimensions		
	Wheelbase	145 in
	Length, Overall w/o rear bumper	N/A
	Width, Max w/o mirrors	80 in
	Height, Overall	81.5 in
	Overhang, Front	N/A
	Overhang, Rear w/o bumper	N/A
	Front Bumper to Back of Cab	N/A
	Cab to Axle	60 in
	Cab to End of Frame	N/A
	Ground to Top of Load Floor	N/A
V.	Ground to Top of Frame	N/A
	Frame Width, Rear	34.2 in
	Ground Clearance, Front	8.2 in
	Ground Clearance, Rear	8.2 in
	Body Length	0.00 ft
	Cab to Body	N/A
Cargo Area Dimension	าร	
	Cargo Box Width @ Top, Rear	N/A
	Cargo Box Width @ Floor	N/A
	Cargo Box Width @ Wheelhousings	N/A
	Cargo Box (Area) Height	N/A
	Tailgate Width	N/A
	Cargo Volume	N/A



#### **Dimensions**

#### Cargo Area Dimensions

Ext'd Cab Cargo Volume

N/A

### **Window Sticker**

#### SUMMARY

Bolton 2017 Ford Super Duty F-550 DRW (F5H) XL 4WD Reg Cab 145 WB 60 CA (11)

MSRP:\$41,570.00

Interior: No color has been selected.

Exterior 1:Shadow Black

Exterior 2:No color has been selected.

Engine: 6.8L 3-Valve SOHC EFI NA V10

Transmission: TorqShift 6-Speed Automatic (6R140)

#### **OPTIONS**

CODE	MODEL	MSRP
F5H	Bolton 2017 Ford Super Duty F-550 DRW (F5H) XL 4WD Reg Cab 145 WB 60 CA (11)	\$41,570.00
	OPTIONS	
18B	Platform Running Boards	\$320.00
44P	Transmission: TorqShift 6-Speed Automatic (6R140)	\$0.00
473	Snow Plow Prep Package	\$85.00
512	Spare Tire, Wheel & Jack	\$350.00
531	Trailer Tow Package	\$45.00
61J	6-Ton Hydraulic Jack	Inc.
62R	Transmission Power Take-Off Provision	\$280.00
660A	Order Code 660A	\$0.00
90L	Power Equipment Group	\$915.00
99Y	Engine: 6.8L 3-Valve SOHC EFI NA V10	\$0.00
AS	Medium Earth Gray, HD Vinyl 40/20/40 Split Bench Seat	\$0.00
G1	Shadow Black	\$0.00
ТНВ	Tires: 225/70Rx19.5G BSW Traction	\$190.00
W7515G	Green Gem	\$643.00
X48	4.88 Axle Ratio	\$0.00
	CUSTOM EQUIPMENT	

Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided. Data Version: 3509, Data updated Aug 17, 2017 8:50:00 PM PDT

Aug 22, 2017



W7515G	Green Gem	\$643.00
	SUBTOTAL	\$44,398.00
	Adjustments Total	\$0.00
	Destination Charge	
	TOTAL PRICE	\$45,693.00

Est City:N/A

Est Highway:N/A

Est Highway Cruising Range:N/A